TABLE OF CONTENTS

| Foreword | i |
|--|------|
| Acknowledgements | . ii |
| Glossary | . xi |
| Introduction | |
| Origin | |
| Industry Structures | |
| Markets | |
| Herd Size | |
| Quality Assurance | |
| Investment and Economics | 3 |
| Quality Assurance | ' |
| Introduction to Quality Assurance | |
| The Australian Deer Industry QA Program Model | |
| The Australian Deer Industry QA Program | |
| The Deer Quality Assurance and Management Analysis Program (Deer QAMA) | 8 |
| Market Focus on Venison Quality | |
| Benefits for Deer Farmers | |
| Registered Quality Assurance Marks | : |
| Species in Australia | 1 |
| Classification of Deer | |
| Choice of Species | |
| Species Farmed In Australia | 14 |
| Summary Comparisons | 22 |
| Fencing | 2 |
| General | |
| Construction Considerations | |
| Cost Considerations | |
| Some Alternate Fence Types | 4 |
| Tips and Hints | |
| Handling and Yards | 5 |
| General | |
| Facilities | |
| | |
| Selection of Breeding Stock | 6 |
| Nutrition | 67 |
| Physiology | 68 |
| Deer Digestion | 69 |
| Important Components of Nutrition | 70 |
| Seasonal Periods | |
| Energy Requirements of Breeding Females | |
| Energy Requirements for Growth | 8 |

| Energy Requirements for Mature Breeding/Velveting Males | 8/ |
|---|-----|
| Protein Requirements | |
| Dry Matter Requirements | |
| Effect of Live Weight on Energy Requirement | 91 |
| DSE Comparison | |
| Feed and Water Requirements | 05 |
| Determining Nutrient Requirements | 99 |
| | |
| Nutrient Availability from Pastures | |
| Supplementary Feeding | |
| Calculating Feed Requirements | |
| Dry Matter Intake | |
| Combining Alternate Feeds to Provide a Balanced Ration | 103 |
| Supplementing Existing Pasture | 104 |
| Combining Two Feed Supplements | 106 |
| Energy and Protein Rule of Thumb | |
| Buying Feed | |
| Introducing Deer to Grain | 107 |
| Changing Supplements | 109 |
| Manufactured Feed | 109 |
| Processing Feed | 109 |
| Frequency of Feeding | |
| Mineral Supplements | |
| Urea | |
| Lick Blocks | |
| Water Requirements | 111 |
| Drought Feeding | |
| | |
| Pasture Assessment and Management | 123 |
| PROGRAZE Training Courses | 124 |
| Grazing Management of Deer | 125 |
| Pasture Assessment | 126 |
| Livestock Production From Pasture | 130 |
| Pastures And Grazing | 137 |
| Grazing Management Options | |
| Measuring Herbage Mass - Median Quadrat Technique | |
| Drying Pasture Samples | |
| Sample Preparation for Nutritive Value Analysis | |
| | |
| Guide Target Live Weights | 164 |
| Variations to Targets | |
| Target Live Weights for Breeding Females | 164 |
| Target Live Weights for Breeding Males | 166 |
| Target Live Weights from Weaning to 18 Months | 169 |
| | |
| Reproduction | |
| Male Biology | |
| Female Biology | |
| Mating Management | |
| Sire Effect | |
| Joining | 179 |
| Body Weight and Condition Score | 183 |

| Artificial Breeding | |
|--------------------------------------|-----|
| Pregnancy Diagnosis | |
| Hybridisation | 187 |
| Summary Considerations | 189 |
| , | |
| Calving/Fawning Management | 19 |
| Season Length | 19 |
| Dam Preparation | |
| Paddocks | |
| | |
| Calving/Fawning | |
| Post Calving/Fawning Management | 195 |
| D : 0.1 | |
| Rearing Orphans | 19, |
| Temperature | |
| Colostrum | |
| After Feeding | 199 |
| Red Deer | 199 |
| Fallow Deer | 200 |
| Wapiti/Elk | 202 |
| Rusa Deer | |
| | |
| Weaning | 20 |
| When to Wean | |
| Pre-Rut Weaning | |
| Mating Weaning | |
| Post-Rut Weaning | |
| | |
| Soft Weaning | |
| Fence-Line Weaning | |
| Weaning Management | 207 |
| TT 1.1 | 21 |
| Health | |
| Introduction | |
| Available Veterinary Products | |
| Vaccination | |
| Bacterial Diseases | 213 |
| Viral Infections | 218 |
| External Parasites | 219 |
| Internal Parasites | 220 |
| Strategic Internal Parasite Control | |
| Metabolic Diseases | |
| Trace Elements | |
| Summary | |
| Summary | 232 |
| Velvet Antler | 234 |
| Antler Growth | |
| Farmed Male Deer | |
| | |
| Production Guide | |
| Maximising Velvet Production | 239 |
| Harvesting Velvet Antler | 24 |
| National Velvet Accreditation Scheme | 247 |

| Venison | 251 |
|---|------|
| Ideal Sale Times | 252 |
| Target Sale Weights | 253 |
| Body Condition Scoring | 254 |
| Species Particulars | 258 |
| Summary Management Calendar | 261 |
| Red Calendar | 262 |
| Fallow Calendar | 264 |
| Wapiti/Elk Calendar | 266 |
| Rusa Calendar | 268 |
| The Australian Deer Industry Code of Practice for the Welfare of Deer | 269 |
| Disclaimer | |
| Preface Preface | |
| Introduction | |
| Producers' Skills and Responsibilities | |
| Animal Considerations | |
| Farm Facilities | |
| Transportation | |
| Humane Destruction | |
| Documentation | |
| Wild and Escaped Deer | |
| References | 283 |
| Index | 293 |
| Appendix | |
| Relationships of Living Deer | hart |

LIST OF COLOUR PLATES

| Plate 1: | Typical Red deer hinds | I |
|-----------|--|-----|
| Plate 2: | 8 year old Warnham hybrid (left) and 6 year old Pure Warnham (right) stags | I |
| Plate 3: | 4 year old Hungarian Red deer stag | II |
| Plate 4: | Typical European Fallow deer | II |
| Plate 5: | Fallow deer | III |
| Plate 6: | Pure Danish Fallow buck | III |
| Plate 7: | Pure Mesopotamian Fallow buck | IV |
| Plate 8: | Pure Canadian Wapiti/Elk stag | IV |
| Plate 9: | Pure Canadian Wapiti/Elk hinds | |
| Plate 10: | Moluccan Rusa stag | V |
| Plate 11: | Javan x Moluccan Rusa weaners | VI |
| Plate 12: | Sambar stag and hinds | VI |
| | Two year old Chital stag | |
| Plate 14: | Body Condition Scoring Chart for Red Deer | VII |
| | Body Condition Scoring Chart for Fallow Deer | |
| | | |

LIST OF PHOTOGRAPHS

| Figure 1: | Damage to posts caused by male red deer | 29 |
|------------|--|-----|
| Figure 2: | Electric wire outrigger to protect posts | 29 |
| Figure 3: | Gates enlarged for deer | 30 |
| Figure 4: | "V" gates along laneways fence | 31 |
| Figure 5: | A three-way gate system | 33 |
| Figure 6: | Box style end assembly | 36 |
| Figure 7: | Stay and bed log end assembly | 37 |
| Figure 8: | Corner stay (strut and bed log style) | 38 |
| Figure 9: | Reverse (box style) stay | |
| Figure 10: | Bed log stay on fence curve | 40 |
| Figure 11: | Internal deer fence 1 | 42 |
| Figure 12: | Internal deer fence 2 | 42 |
| Figure 13: | Topped cattle fence | |
| Figure 14: | Converted cattle fence | 44 |
| Figure 15: | Plain wire deer fence | 45 |
| Figure 16: | Temporary electric fencing used for paddock subdivision | 46 |
| Figure 17: | Crank Strainer | |
| Figure 18: | Wire joined with a gripple , | 47 |
| Figure 19: | Heyes crimping sleeves and pliers, | |
| Figure 20: | A watering trough with cover to minimise splashing by deer | 50 |
| Figure 21: | Typical drop floor crush | 60 |
| Figure 22: | Typical manually operated walk through crush | 60 |
| Figure 23: | Typical hydraulically operated walk through crush | 60 |
| Figure 24: | Velvet Stick Terminology | 243 |
| Figure 25: | Frozen, Unprocessed Whole Velvet Antler Stick | |
| Figure 26: | Dried Whole Velvet Antler Stick | 245 |
| Figure 27: | Velvet Antler Slices | 246 |
| Figure 28: | Velvet Antler Powder | 246 |
| Figure 29: | Deer Velvet Capsules | 247 |
| | | |

LIST OF DIAGRAMS

| Diagram 1: | "V" gates included in a laneways | 31 |
|-------------|--|-----|
| Diagram 2: | A four-way gate system | |
| Diagram 3: | A three-way gate system | 32 |
| Diagram 4: | Box Assembly - guide measurements only | 35 |
| Diagram 5: | Diagonal Stayed Assembly - guide measurements only | 36 |
| Diagram 6: | A reverse (box style) stay attached to a corner strainer | 38 |
| Diagram 7: | Bed Log stay on fence curve - guide measurements only | 39 |
| Diagram 8: | Stylised figure-8 knot | 48 |
| Diagram 9: | Cutting point for mesh | |
| Diagram 10: | Joined mesh | 49 |
| Diagram 11: | Pathways of grazing management decision making | 125 |
| Diagram 12: | Influence of herbage mass on the intake of sheep and cattle | 130 |
| Diagram 13: | Pasture digestibility declines as pasture matures | 133 |
| Diagram 14: | Intake of legumes may be higher than grasses of the same digestibility . | 134 |
| Diagram 15: | The trade-off between digestibility and herbage mass | 136 |
| Diagram 16: | Simplified growth curve of plants | 141 |
| Diagram 17: | The median quadrat | 160 |

LIST OF GRAPHS

| Graph 1: | Estimated energy requirements for a Red hind - 100 kg at mating |
|-----------|--|
| Graph 2: | Estimated energy requirements for a Fallow doe - 45 kg at mating |
| Graph 3: | Estimated energy requirements for a Wapiti/Elk hind - 240 kg at mating |
| Graph 4: | Estimated energy requirements for a Rusa hind - 90 kg at mating |
| Graph 5: | Guide Energy Requirements for Red Hind Growth |
| Graph 6: | Guide Energy Requirements for Red Stag Growth |
| Graph 7: | Guide Energy Requirements for Fallow Doe Growth Requirements |
| Graph 8: | Guide Energy Requirements for Fallow Buck Growth Requirements |
| Graph 9: | Guide Energy Requirements for Wapiti/Elk Hind Growth Requirements |
| Graph 10: | Guide Energy Requirements for Wapiti/Elk Stag Growth Requirements |
| Graph 11: | Guide Energy Requirements for Rusa Hind Growth Requirements |
| Graph 12: | Guide Energy Requirements for Rusa Stag Growth Requirements |
| Graph 13: | Guide Red Stag Energy Requirements |
| Graph 14: | Guide Fallow Buck Requirements |
| Graph 15: | Guide Wapiti/Elk Stag Requirements |
| Graph 16: | Guide Rusa Stag Requirements |
| Graph 17: | Guide live weight targets for a Red hind - 100 kg mature weight |
| Graph 18: | Guide live weight targets for a Fallow doe - 45 kg mature weight 165 |
| Graph 19: | Guide live weight targets for a Wapiti/Elk hind - 240 kg mature weight |
| | Guide live weight targets for a Rusa hind - 90 kg mature weight |
| Graph 21: | Guide live weight targets for a Red stag - 220 kg mature weight |
| | Guide live weight targets for a Fallow buck - 105kg mature weight |
| | Guide live weight targets for a Wapiti/Elk stag - 420kg mature weight |
| | Guide live weight targets for a Rusa stag - 140kg mature weight |
| | Guide live weight targets for female Red deer weaners |
| Graph 26: | Guide live weight targets for male Red deer weaners |
| | |

| Graph 27: Graph 28: Graph 29: Graph 30: Graph 31: Graph 32: Graph 33: Graph 34: Graph 35: | |
|---|---|
| | |
| LIST (| OF TABLES |
| Table 1: | Species Comparisons at a Glance |
| Table 2: | Heritability 'guesstimates' for Fallow deer 64 |
| Table 3: | Guide Conversion Factors for Energy Values |
| Table 4: | Guide estimates of Energy content of feed relative to digestibility value |
| Table 5: | Recommended minimum fibre concentrations (gm MAD/kg DM) for |
| Table). | sheep and cattle diets |
| Table 6: | Guide maximum dry matter (Kg of DM/head/day) intakes for Red and |
| Table 0. | Fallow deer |
| Table 7: | Guide average daily ME and DM requirements of Red deer hinds |
| Table /: | grazing pasture with MD 9.9 (digestibility of 70%) |
| Т11 о | |
| Table 8: | Guide average daily ME and DM requirements of Fallow deer does |
| T11.0 | grazing pasture with MD 9.9 (digestibility of 70%) |
| Table 9: | Guide average daily ME and DM requirements of Wapiti/Elk hinds |
| T-11 10 | grazing pasture with MD 9.9 (digestibility of 70%) |
| Table 10: | Guide average daily ME and DM requirements of Rusa deer hinds |
| T 11 11 | grazing pasture with MD 9.9 (digestibility of 70%) |
| Table 11: | Guide DSE Ratings of Different Classes of Stock |
| Table 12: | Hind Requirements in Early Lactation |
| Table 13: | A Guide to Average Nutritional Value of Common Supplementary Feeds |
| Table 14: | Determining the Cheapest Feed on an ME Content Basis |
| Table 15: | Effect of Feed Quality on DM Intake |
| Table 16: | Guide Water Requirements of Deer |
| Table 17: | Guide Water Requirements for Red Hinds that are 100 kg at Mating |
| Table 18: | Guide Water Requirements for Rusa Hinds that are 90 kg at Mating |
| Table 19: | Feed Options to Maintain Red Hinds |
| Table 20: | Feed Options to Maintain Red Stags |
| Table 21: | Feed Options to Maintain Fallow Does |
| Table 22: | Feed Options to Maintain Fallow Bucks |
| Table 23: | Feed Options to Maintain Wapiti/Elk Hinds |
| Table 24: | Feed Options to Maintain Wapiti/Elk Stags |
| Table 25: | Feed Options to Maintain Rusa Hinds |
| Table 26: | Feed Options to Maintain Rusa Stags |
| Table 27: | A Guide to Average Nutritional Value of Supplementary Feeds for Drought |
| Table 28: | Guide estimates of energy content of feed relative to digestibility value |
| Table 29: | Energy values of common feeds |
| Table 30: Table 31: | Suggested maximum number Red hinds per fertile stag |
| Table 31: | Suggested maximum number Fallow does per fertile buck |

| Table 32: | Suggested maximum number of Wapiti/Elk hinds per fertile sire |
|-----------|---|
| Table 33: | Feeding Schedule for Hand Reared Wapiti Calves |
| Table 34: | Estimates of daily mineral requirements for deer |
| Table 35: | Guide minimum annual antler weight (first cut) for Red deer stags |
| Table 36: | Guide minimum annual antler weight (first cut) for Wapiti/Elk stags |
| Table 37: | Example of the general relationship between live weight and antler weight |
| Table 38: | Guide Body Condition Scores for All deer |
| Table 39: | Guide carcase condition score for fallow deer |
| Table 40: | Guide carcase condition scores for Red deer |
| Table 41: | Average live weight |
| Table 42: | Live weight and Carcase Data |
| Table 43: | Comparative Carcase Data |

х

GLOSSARY

[] Refers directly to a reference listed in the reference section

of this book

Beam - Velvet The main branch of a velvet stick

BCS Body Condition Score

Body Condition Scoring A system of visual live animal assessment

Buck A male Fallow deer that is at least two years of age
Bull Alternate name for a male Wapiti/Elk that is at least two

years of age

Button The calcified remnant of antler that remains on the pedicle

after velveting

Calf A young of Red deer, Wapiti/Elk or Rusa deer that is not

weaned

Casting The natural annual shedding of hard antler or button

Coronet The base of the antler adjoining the pedicle

Cow Alternate name for a female Wapiti/Elk that is at least two

years of age

Doe A female Fallow deer that is at least two years of age

DIAA Deer Industry Association of Australia

Dry Matter The portion of a feed that remains after the water

component of the feed has been removed

DSE Dry Sheep Equivalent

45 kg merino wether in body condition score of 2.0 to 2.5

Fawn A young of Fallow deer that is not weaned

Grading - Velvet The procedure of classifying velvet according to it quality

HCW Hot Carcase Weight

Hind A female Red deer, Wapiti/Elk or Rusa deer that is at least

two years of age

Hot Carcase Weight The weight of an slaughtered animal after bleeding and

removal of skin, head, feet, legs and internal organs and with

minimum trimming to pass the carcase fit for human consumption

Hybridisation Cross breeding between different strain or species

Ioining Mating

Maiden A female that has not produced an offspring

 Metabolisable energy
 The energy component of a feed that is available to livestock

 Megajoule
 Standard unit for measurement of metabolisable energy

xii

NVAS National Velvet Accreditation Scheme

Parturitition The act of giving birth

Pedicle The bony protuberances on the top of the skull from which

the coronet and antler grow annually

PROGRAZE The pasture and animal assessment training program

initiative of the Meat Research Corporation

RIRDC Rural Industries Research and Development Corporation
Rising Plane A gradually increase in the volume and quality of available

nutrition

Rut The breeding season

Shedding The natural annual shedding of hard antler or button

Spiker A male deer, approximately 12 months of age that produces

It made deet, approximately 12 months of age to

characteristic 'spiker' velvet

Stag A male Red deer, Wapiti/Elk or Rusa deer that is at least two

years of age

Stocking Density Stocking density refers to the number of stock grazing a unit are area

(hectare) at any one time

Stocking Rate A measure of the carrying capacity of a paddock or the whole farm

over an extended period

Velvet The immature (non calcified) antler of male deer

 Velveting
 The procedure of harvesting velvet antler from male animals

 Weaner
 An animal that is weaned but not yet 12 months old

 Weaning
 The permanent separation of an offspring from its mother

 Yearling
 An animal that is at least 12 months old but not yet two

xiii

years old